

Institute of Biomedical Science
12 Coldbath Square, London EC1R 5HL
Tel: 020 7713 0214 • Fax: 020 7837 9658
E-mail: mail@ibms.org
Website: www.ibms.org



Chief Executive
Jill Rodney

27 April 2015

Dr Bernard L. Croal
MB ChB BSc Hons MSc MD FRCP FRCPath CSci EuSpLM
RCPath Chair Scottish Regional Council
Chair - NLMC Governance Board
Department of Clinical Biochemistry
Link Building
Aberdeen Royal Infirmary
Aberdeen AB25 2ZD

Dear Dr Croal

Minimum Retesting Intervals in Pathology Draft Guidance

Further to the consideration of the Institute of Biomedical Science (IBMS) Council I am pleased to inform you of Council's decision to endorse the guidance as detailed in the draft document with the following minor comments:

1. Spelling mistake under the Blood Transfusion section H-BGAS2 should read *within* and not *withing*.
2. Two typographical errors noted on page 30 B5P6 and page 51 H-BGAS2
3. In the histology section the comment received pertaining to renal biopsy is that it should be made clear that a recommendation for annual biopsy is made or not.

Please do not hesitate to contact my PA, Marie-Helen Jean at marie-helenjean@ibms.org should you require the current copy of the IBMS logo.

Yours sincerely

A handwritten signature in black ink that reads 'Sarah May'. The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Sarah May
Deputy Chief Executive.